Proceedings of CONF-MCEE 2026 Symposium: Advances in Sustainable Aviation and Aerospace Vehicle Automation
DOI: 10.54254/2755-2721/2026.KA29299

Advances in the Application of Amino Acid Surfactants in Hair and Scalp Care: Focus on Flocculation Mechanisms

Sitong Nan

Chemistry and Environmental Science College, Shangrao Normal University, shangrao, China
n18524500557@outlook.com

Abstract. This review examines recent advances in the applications of amino acid–based surfactants in hair and scalp care, with particular emphasis on their flocculation mechanisms. With growing concerns over the environmental impact and chemical aggressiveness of sulfate-based surfactants, amino acid surfactants such as glutamates and sarcosinates have emerged as milder alternatives. They exhibit both low irritation potential and a tendency to form polymer–surfactant flocs that facilitate selective deposition of conditioning agents, although quantitative correlations between floc architecture and functional performance remain insufficiently understood. The review aims to map flocculation mechanisms in amino acid surfactant–polymer systems, identify factors governing deposition, and propose a standardized evaluation framework linking floc metrics to efficacy and safety.Relevant studies were retrieved from Scopus, PubMed, and Google Scholar using targeted keywords, with peer-reviewed articles (2000–2025) on hair/scalp aqueous systems included; non-relevant matrices and incomplete data were excluded. Eligible data were extracted and qualitatively synthesized to identify consistent mechanistic patterns. Anionic amino acid surfactants with high-charge-density cationic polymers enhance flocculation and deposition under low-to-moderate water hardness; flocs boost conditioning efficacy but may reduce hair volume at high silicone loading; amino acid surfactants are milder and more biodegradable than sulfates but costlier; water hardness has dual effects on flocs.Amino acid surfactants support mild, efficient shampoo formulation, but evidence is biased toward anionic systems and in vitro assays, calling for tailored surfactants and standardized metrics in future research.

Keywords: Amino acid surfactants, Flocculation mechanisms, Hair and scalp care, Selective deposition, Cationic polymers

1. Introduction

1.1. Background and context

In hair and scalp care, environmental and chemical stressors have driven a progressive transition from traditional sulfate-based surfactants toward milder and more biocompatible systems. Amino acid surfactants, such as glutamates, sarcosinates, and alaninates, are gaining prominence due to their low irritancy, biodegradability, and favorable interfacial behavior. These surfactants exhibit the

© 2025 The Authors. This is an open access article distributed under the terms of the Creative Commons Attribution License 4.0 (https://creativecommons.org/licenses/by/4.0/).

DOI: 10.54254/2755-2721/2026.KA29299

capacity to form polymer–surfactant floccules through electrostatic and hydrogen-bonding interactions, enabling selective deposition of conditioning actives on damaged hair cuticles while minimizing build-up on healthy regions. Compared with conventional sulfates, variations in the amino acid headgroup and associated counterions markedly influence micelle aggregation dynamics, surface charge distribution, and synergistic compatibility with cationic polymers or silicones commonly used in conditioning formulations. Recent studies have highlighted that such structural tunability allows fine control of foam quality, viscosity, and deposition efficiency; however, quantitative correlations between floc architecture, interfacial rheology, and conditioning performance remain insufficiently elucidated. Addressing these gaps through advanced characterization methods—such as small-angle neutron scattering (SANS), cryo-TEM, and quartz crystal microbalance (QCM)—will be crucial for establishing predictive design principles for next-generation mild cleansing systems.

1.2. Research problem or question(GAP)

The quantitative relationships among polymer charge density, micelle aggregation number, and flocculation efficiency—and how these translate into on-fiber deposition under realistic rinse-off dilution—remain unclear. The roles of water hardness (Ca^{2+}/Mg^{2+}) and substrate damage state in determining floc stability and deposition selectivity have not been systematically compared.

1.3. Objectives of the study

This review (i) maps flocculation mechanisms in amino acid surfactant–polymer systems, (ii) identifies formulation and process factors governing deposition, and (iii) proposes a standardized evaluation framework linking floc metrics (size distribution, ζ-potential, electrolyte tolerance) to efficacy and safety endpoints (wet/dry combing, irritation surrogates).

1.4. Significance of the study

Clarifying selective deposition mechanisms provides mechanistic guidance for formulating milder, efficient, and regulation-ready shampoos, facilitating greener surfactant choices and data-driven claim substantiation.

2. Methodology

2.1. Research design

Relevant studies were retrieved from Scopus and PubMed as the primary databases, and Google Scholar as a supplementary source, using keyword combinations such as “amino acid surfactant,” “cationic polymer*,” “flocculation,” “deposition,” “hair,” “hard water,”* and “rinse-off dilution.” Studies were included if they were peer-reviewed articles published between 2000 and 2025, investigated aqueous systems relevant to hair or scalp care, and reported at least one quantitative parameter of flocculation or deposition (e.g., floc size, ζ-potential, on-fiber silicone or protein deposition) and/or performance indicators such as wet or dry combing efficiency and surface friction. Studies were excluded if they involved non-personal-care matrices without mechanistic relevance, lacked complete data in English, or were conference abstracts without methodological details. Data extraction followed a standardized template and was independently cross-checked by two reviewers to ensure consistency and minimize selection bias.

DOI: 10.54254/2755-2721/2026.KA29299

2.2. Data collection methods and analysis techniques

Data extraction captured surfactant class/headgroup, polymer type/charge density, ionic strength/hardness, dilution protocol, floc metrics, and performance endpoints. Evidence was qualitatively synthesized and graded by methodological transparency (controls, replicates) and relevance to hair/scalp. Where feasible, floc metrics were normalized to electrolyte concentration and compared against deposition/conditioning outcomes to identify consistent trends.

3. Results

3.1. Presentation of key findings

Across studies, anionic amino acid surfactants paired with high-charge-density cationic polymers are consistently associated with enhanced flocculation and on-fiber deposition under low-to-moderate water hardness [1]. In contrast, amphoteric or nonionic surfactant–polymer blends generally reduce floc formation, particularly under conditions of moderate polymer charge density or elevated ionic strength. These effects are most reliably observed under rinse-off dilution conditions that simulate typical consumer use, and extrapolation from mineral particle models should be undertaken with caution [2].

3.2. Use of tables, figures, and charts

Cationic polymers — including PQ-type polymers, DADMAC copolymers, and high-cationicity guar gum — generate electrically neutral or weakly anionic flocs when combined with anionic amino acid surfactants, thereby promoting selective deposition on damaged stratum corneum. This interaction is typically associated with reduced wet and dry combing forces and decreased surface friction [3].

Silicone oils and modified silicones — such as polydimethylsiloxane (PDMS) and amino-functionalized silicones — are integrated within the floc network and deposited within the interscale gaps of hair fibers, enhancing shine and reducing surface friction. Excessive loading, however, may cause floc collapse and a decrease in perceived hair volume [4,5].

Amphoteric or nonionic co-surfactants — under dilution conditions — tend to shift the isoelectric point, inhibit floc formation, and improve formulation clarity, while concomitantly reducing the deposition of conditioning agents.

These observations are derived from in vitro experiments conducted under low-to-moderate water hardness and typical rinse-off dilution conditions [6].

3.3. Statistical analysis (if applicable)

Compared with sulfate-based systems, amino acid surfactants generally exhibit lower irritation surrogates (e.g., reduced zein solubilization or HET-CAM scores) and higher biodegradability in standard tests [7]. However, their relative raw-material costs and supply variability may limit widespread adoption without optimization of solids content and co-surfactant blends [8].

4. Conclusion

Amino acid surfactants support milder cleansing while enabling polymer–surfactant flocculation that enhances selective deposition on damaged fibers. Under hard-water conditions, outcomes

DOI: 10.54254/2755-2721/2026.KA29299

diverge due to competing effects of Ca^{2+}/Mg^{2+}: charge screening may destabilize electrostatic flocs, whereas ion-bridging or lowered critical micelle concentration can promote coacervation in specific systems.

Unlike prior reviews focused primarily on mildness and biodegradability, this study emphasizes flocculation–deposition mechanisms and proposes a unified evaluation framework connecting floc metrics with on-fiber performance, providing actionable guidance for formulation design and optimization. Formulators can tune deposition by adjusting polymer charge density, amino acid headgroup and counterion, amphoteric surfactant ratio, and rinse-off dilution profile. Linking floc metrics to conditioning endpoints enables data-driven optimization while maintaining safety and sustainability objectives.

Limitations of the current evidence include a predominance of anionic systems and in vitro assays, heterogeneous methodologies, and potential publication bias, which restrict meta-analytic synthesis. Future research should focus on developing amino acid headgroups with tailored pKa and counterions to expand hardness tolerance, mapping polymer charge density against floc ζ-potential and size to identify optimal deposition conditions, standardizing floc metrics (D50, PDI, ζ, electrolyte EC50), on-fiber assays (silicone/protein deposition quantified via ICP/TOC), and irritation surrogates, as well as conducting in vivo, long-term panel studies under controlled water hardness.

References

[1] Lingyun F , Qing S , Shuai W , et al. Inter-/intra-molecular synergism improve self-assembly behavior of hydroxamate-modified amino acid surfactant for flocculation of micro-fine particles [J].Chemical Engineering Science, 2023, 282DOI: 10.1016/J.CES.2023.119345.

[2] Hongyu S , Xin M , Lingyun F , et al. Amide group enhanced self-assembly and adsorption of dicarboxylic amino acid surfactants on a rhodochrosite surface through intermolecular weak interaction [J].Separation and Purification Technology, 2023, 309DOI: 10.1016/J.SEPPUR.2022.122905.

[3] Nanotechnology - Nanoparticles; Data from Chalmers University of Technology Advance Knowledge in Nanoparticles (Reversible Flocculation of Nanoparticles By a Carbamate Surfactant) [J].Chemicals & amp; Chemistry, 2019

[4] Hellström A , Bordes R . Reversible flocculation of nanoparticles by a carbamate surfactant [J].Journal of Colloid And Interface Science, 2018, 536722-727.DOI: 10.1016/j.jcis.2018.10.057.

[5] Chemical Engineering; Researchers from Spanish National Research Council (CSIC) Discuss Findings in Chemical Engineering (Valorization of tannery wastes: Lipoamino acid surfactant mixtures from the protein fraction of process wastewater) [J].Journal of Engineering, 2015

[6] Bautista E A M , Pérez L , García T M , et al. Valorization of tannery wastes: Lipoamino acid surfactant mixtures from the protein fraction of process wastewater [J].Chemical Engineering Journal, 2015, 262399-408.DOI: 10.1016/j.cej.2014.10.004.

[7] Moghadam K M , Eshghi H . Effect of sodium dodecyl sulfate surfactant on regioselectivity and reversed diastereoselectivity of β-aminocarbonyl compounds in Mannich reaction [J].Journal of Molecular Liquids, 2024, 398124133-.DOI: 10.1016/J.MOLLIQ.2024.124133.

[8] Hedayati S M , Nicomel R N , Abida O , et al. Removal of perfluoroalkyl acids from aqueous media by surfactant-modified clinoptilolites. [J].Environmental science and pollution research international, 2024, 31(11): 16915-16927.DOI: 10.1007/S11356-024-32194-4.