Proceedings of the 5th International Conference on Materials Chemistry and Environmental Engineering
DOI: 10.54254/2755-2721/126/2025.20030

Application of Environmentally Friendly Building Materials in Urban Construction

Xicheng Wang[1,a,*]

[1]*Chinese- Russian college ,Ural Federal University, Yekaterinburg, Russia*
a. 2777983220@qq.com
**corresponding author*

Abstract: Rapid industrialization and urbanization of modern society have led to significant environmental challenges, including climate change, resource depletion, and pollution. The construction industry, a major contributor to these issues, relies heavily on traditional building materials such as cement, steel, and bricks, which are associated with high energy consumption and environmental degradation. In response to these concerns, there has been a growing emphasis on integrating environmentally friendly building materials into urban construction to promote sustainability and reduce ecological impact. This review paper explores the development and optimization of eco-friendly materials, focusing on their benefits, types, and real-world applications. We discuss the environmental, health, and safety advantages of using sustainable materials, such as reduced resource consumption, improved indoor air quality, and enhanced energy efficiency. Various eco-friendly materials, including recycled aggregates, bio-based composites, and waste-derived products, are examined for their potential to mitigate environmental impacts and enhance building performance. Case studies of successful projects that incorporate green materials are presented to highlight practical implementations and lessons learned.

Keywords: Environmentally Friendly, Building Materials, Built Environment

1. Introduction

The environmental challenges of modern times—climate change, resource depletion, and pollution—pose significant threats to sustainable development. Since the Industrial Revolution, the mass production and mechanization of materials have contributed to significant environmental degradation, affecting air, water, and soil quality globally. Today, the construction industry is one of the largest contributors to environmental degradation, accounting for nearly 36% of the global waste generated annually [1].

Conventional materials such as cement, steel, and bricks are integral to the construction industry, but they involve significant energy consumption and generate substantial pollution during their production processes. The ongoing trend of rapid urbanization intensifies the demand for these materials, further exacerbating their environmental impact and contributing to climate change. As global awareness of environmental concerns rises, sustainable development solutions have become a critical priority for governments, businesses, and the public alike. In response to these challenges, the construction industry is increasingly prioritizing the development and implementation of environmentally friendly building materials. These sustainable materials not only reduce harmful

© 2025 The Authors. This is an open access article distributed under the terms of the Creative Commons Attribution License 4.0 (https://creativecommons.org/licenses/by/4.0/).

DOI: 10.54254/2755-2721/126/2025.20030

emissions and optimize energy use throughout their lifecycle but also promote innovative recycling and reuse practices. By embracing such materials, the industry can help mitigate environmental degradation, lessen resource depletion, and contribute to a more sustainable future. The shift towards green construction practices represents not only a necessity but also an opportunity for responsible innovation in the built environment [2].

This review highlights the growing need for eco-friendly building materials in response to the urgent environmental challenges facing urban settings today. It explores the potential applications of these sustainable materials, examining how they can be integrated into various types of construction projects, from residential to commercial spaces. Additionally, the review discusses the significant environmental benefits, such as reduced carbon emissions and lower resource consumption, as well as the health benefits associated with using non-toxic, renewable materials that promote indoor air quality. The objective is to assess the practicality of adopting these materials and identify future directions for advancing sustainable urban construction practices. Through this assessment, the review aims to provide valuable insights for stakeholders committed to creating greener, healthier urban environments.

2. Benefits of Using Environmentally Friendly Materials

2.1. Environmental Impact

Environmentally friendly building materials play a crucial role in minimizing the ecological footprint of urban construction. Comprising recycled and renewable resources, these materials significantly reduce the reliance on non-renewable resources while limiting pollution during both production and usage phases. By effectively decreasing carbon emissions and energy consumption, they contribute to the achievement of global climate goals. Moreover, their widespread use fosters sustainable urbanization, promoting healthier living environments.[3]. Recent advances in technology, particularly the incorporation of bio-based materials and nanotechnology, have significantly enhanced the environmental efficiency of building materials. These innovations provide not only improved durability and performance but also contribute to lower environmental impacts, making them a promising choice for sustainable construction practices in urban development.[4].

Eco-friendly materials play a vital role in promoting the circular economy by enabling the recycling and reuse of resources. For instance, materials such as recycled concrete and glass greatly diminish the demand for virgin resources, conserving natural habitats and reducing extraction impacts. Furthermore, innovations in modular and prefabricated building materials help minimize waste generation on construction sites, streamlining operations and significantly reducing environmental contamination, contributing to a more sustainable construction process overall [5].

2.2. Health and Safety Benefits

Eco-friendly building materials not only benefit the environment but also improve indoor air quality and occupant health. Many conventional materials release volatile organic compounds (VOCs) and other harmful chemicals, which can cause respiratory problems, allergic reactions, and long-term health issues [6]. In contrast, environmentally friendly materials are free of these hazardous substances and can improve the overall indoor environment. Studies have shown that the use of sustainable materials like hempcrete and straw bales can enhance indoor comfort by maintaining better humidity control and insulating properties, leading to improved energy efficiency and occupant health [7]. Moreover, these materials often provide superior fire resistance, structural stability, and acoustic properties, enhancing the overall safety and livability of urban spaces. For example, hempcrete—a mix of hemp fibers, lime, and water—has shown potential for both its insulating

DOI: 10.54254/2755-2721/126/2025.20030

properties and its capacity to regulate indoor air quality, making it a promising material for sustainable urban construction [8].

3. Types of Environmentally Friendly Building Materials

A range of environmentally friendly building materials is being explored and utilized to address the sustainability challenges in urban construction. These materials include:

- *Earth-Based Materials*: Materials like adobe and clay are highly sustainable, requiring minimal energy for production and emitting low levels of pollution. Adobe, for instance, can be fully recycled and generates little waste, making it an ideal material for eco-friendly construction [9]. These materials have been largely neglected in modern construction but are now gaining renewed attention as sustainable alternatives to conventional materials.
- *Agricultural Waste-Based Materials*: The innovative utilization of agricultural by-products, including walnut shells and other nut wastes, is gaining traction as a sustainable alternative in the production of building materials. Walnut shells, for example, have been successfully integrated into concrete and bricks, significantly reducing their environmental impact while promoting the circular economy and resource efficiency within the construction industry [10]. Similarly, straw-filled building materials have shown excellent thermal insulation properties, making them a valuable asset in constructing energy-efficient buildings. Their natural composition not only enhances insulation but also reduces reliance on conventional materials, promoting sustainability and contributing to lower energy consumption in the built environment [11].
- *Bio-Based and Renewable Materials*: Bio-based materials, such as hempcrete, composed of hemp fibers and lime, present a renewable and low-carbon alternative for building construction. Offering exceptional insulation properties, these materials not only enhance energy efficiency but are also fully biodegradable, thereby significantly diminishing a building's carbon footprint throughout its entire lifecycle [12]. Similarly, recycled aggregates from concrete waste and other materials are increasingly utilized as substitutes for conventional concrete. However, challenges persist concerning their performance and durability, requiring ongoing research and innovation to ensure they meet the demands of modern construction [13].
- *Recycled Materials*: The recycling of conventional building materials, including metals, glass, and concrete, significantly impacts reducing the environmental footprint of urban construction. When processed appropriately, recycled metals and glass can retain their structural integrity, allowing them to be effectively reused in new buildings, thereby conserving resources and promoting sustainable building practices [14]. Additionally, recycled concrete is gaining popularity as a sustainable building material; however, concerns regarding its elasticity and strength remain. Addressing these issues through further research and optimization is essential to ensure its effectiveness and reliability in various construction applications [15].

4. Technological Innovation in Sustainable Materials

4.1. Self-healing concrete

Self-healing concrete is a cutting-edge technology that has the remarkable ability to automatically repair cracks as they form, offering a promising solution to many of the issues that affect traditional concrete structures. This innovative material is typically designed to include microorganisms, capsules, or other agents that can release gels, minerals, or other healing agents when triggered by specific environmental conditions, such as the presence of water or oxygen. These healing components work to fill the cracks from within, restoring the integrity of the concrete and preventing further deterioration.

DOI: 10.54254/2755-2721/126/2025.20030

One popular approach in the development of self-healing concrete involves the use of microorganisms, such as bacteria, that can induce the precipitation of calcium carbonate (CaCO3) to fill and heal the cracks. When cracks form, and moisture or air infiltrates, the bacteria become active and convert compounds like calcium lactate into calcium carbonate, effectively filling the gaps. This bio-mineralization process is crucial because it mirrors natural limestone formation and can significantly extend the lifespan of concrete structures. In addition to bacteria, some formulations rely on capsules filled with healing agents such as polymers or silicates. When a crack develops, these capsules rupture, releasing their contents into the damaged area [16].

4.2. Bio-based polymers

Bio-based polymers are materials made from renewable biomass (e.g. starch, lignin and proteins) that are produced in a process that significantly reduces dependence on fossil fuels. Such materials have superior biodegradability and recycling potential. A number of researchers are exploring the use of bio-based polymers to manufacture building insulation, flooring materials, etc. to improve the environmental performance of buildings.

This process leads to polymer property change as pertains to functional deterioration because of the physical, biological, and chemical reactions that result in chemical transformations and bond scission and thus can be regarded as polymer degradation. Due to the present demand for sustainable polymers, bio-based polymers have been identified as a solution. There is therefore a need to compare the sustainability impacts of bio-based polymers, to maximize their use in functional use stage and still withhold the bio-degradation capability [17].

4.3. High-performance insulation

New insulation materials such as aerogel and vacuum insulation panels are widely used in building design and can significantly improve the energy efficiency of buildings. These materials utilize nanotechnology and have extremely low thermal conductivity, which helps to reduce energy consumption and improve occupant comfort.

This material has almost unlimited potential, believing that they might find application in most human activities and areas. Aerogel insulation is a good choice because nearly neutralizes all three methods of heat transfer: convection, conduction and radiation. The resistance to convective transfer is given by the fact that air does not circulate in the material structure. The resistance to thermal transfer by conduction is given by the majority of gaseous components. If using a carbon-based gel, a high resistance to radiation transfer is obtained [18].

4.4. D Printed Buildings

The application of 3D printing technology in the field of construction is poised to revolutionize traditional building methods by promoting the efficient use of materials and enabling precise construction, ultimately reducing waste during the construction process. Through additive manufacturing techniques, 3D printing allows for the creation of complex, customized structures that would be difficult or impossible to achieve with conventional methods. This precision minimizes errors and excess material usage, streamlining the building process and reducing the environmental footprint of construction projects.[19]

One of the most significant advantages of 3D printing in construction is its ability to incorporate renewable or recyclable materials, which makes it a more environmentally friendly option. Materials such as recycled plastics, bio-based composites, and even waste products from industrial processes can be utilized in 3D printing, creating buildings that are not only structurally sound but also sustainable. For example, recycled plastics that would otherwise contribute to landfill waste can be

DOI: 10.54254/2755-2721/126/2025.20030

repurposed into strong, lightweight construction materials, while bio-based materials, like hempcrete or mycelium, offer additional environmental benefits by being biodegradable and reducing reliance on traditional concrete.

5. Case Studies of Industrial Buildings

Several notable projects have successfully integrated environmentally friendly building materials:

- The Bullitt Center (Seattle, USA): Often referred to as the greenest office building in the world, the Bullitt Center exemplifies sustainable design through its innovative use of recycled wood and non-toxic materials. Equipped with solar panels, this cutting-edge building achieves energy self-sufficiency. [20].
- The Edge (Amsterdam, Netherlands): The Edge is recognized as one of the most sustainable office buildings in the world, utilizing a variety of eco-friendly features. By incorporating recycled materials, harnessing solar energy, implementing rainwater harvesting systems, and integrating smart building technologies, it significantly minimizes its environmental footprint while enhancing energy efficiency and occupant comfort [21].
- Green School (Bali, Indonesia): This school exemplifies eco-friendly architecture by prominently featuring bamboo and other renewable resources in its design. By integrating natural materials into large-scale projects, it showcases the potential for sustainable construction practices [22].

Despite the successes of various eco-friendly construction projects, significant challenges persist in achieving widespread adoption of environmentally friendly building materials. Initial costs tend to be higher, and limited market availability restricts access to these innovative options. Moreover, the lack of standardized regulations creates uncertainty for builders and developers. Additionally, there exists a gap in training and knowledge within the construction industry, which hampers the effective implementation and integration of these materials into existing practices. However, successful case studies illustrate that, with the right investments and robust policy support, eco-friendly materials can not only be economically viable but also play a crucial role in reducing the environmental impact of urban construction, paving the way for a more sustainable future [23].

6. Future Directions

Looking ahead, the development and utilization of environmentally friendly building materials are poised to benefit greatly from advancements in technology and supportive regulatory frameworks. Innovations such as bio-based composites, nanomaterials, and self-healing materials are emerging as promising solutions, offering enhanced performance and environmental benefits. Furthermore, the integration of Building Information Modelling (BIM) and 3D printing into construction processes presents exciting opportunities to streamline the application of sustainable materials. These technologies not only improve efficiency by optimizing design and resource allocation but also significantly reduce waste generation, contributing to a more sustainable construction industry that aligns with global environmental goals and enhances building resilience [24].

Governments can significantly advance sustainable construction by providing financial incentives for green building practices, enforcing stringent regulations on material usage and emissions, and supporting research initiatives for developing innovative sustainable materials. Additionally, increasing public awareness and corporate responsibility will drive demand for greener building solutions, fostering a more sustainable construction landscape.

DOI: 10.54254/2755-2721/126/2025.20030

7. Conclusion

The shift toward eco-friendly building materials marks a positive step toward sustainable urban construction. Incorporating recycled, bio-based, and low-carbon materials can significantly reduce the construction industry's environmental impact and contribute to global sustainability. These materials conserve resources, reduce waste, and lower greenhouse gas emissions. However, continuous innovation is needed to improve performance and affordability, encouraging wider adoption. Government policies and incentives are also vital to support this transition. By addressing these challenges, stakeholders can promote a more sustainable future for urban development, benefiting both people and the planet.

References

[1] *Bianchi, M., & Cordella, M. (2022). Does circular economy mitigate the extraction of natural resources? Empirical evidence based on analysis of 28 European economies over the past decade. Ecological Economics, 203, 107607.*

[2] *Eurostat. (2020). Waste statistics: Total waste generation. European Commission.*

[3] *Hertwich, E., Lifset, R., Pauliuk, S., & Heeren, N. (2019). Resource efficiency and climate change: Material efficiency strategies for a low-carbon future. International Resource Panel, United Nations Environment Programme.*

[4] *Schaubroeck, S., Dewil, R., & Allacker, K. (2022). Circularity of building stocks: Modelling building joints and their disassembly in a 3D city model. Procedia CIRP, 105, 712–720.*

[5] *Nußholz, J. L., Rasmussen, F. N., Whalen, K. A., & Plepys, A. (2020). A circular business model for material reuse in buildings: Implications on value creation. Journal of Cleaner Production, 245, 118546.*

[6] *Buckley, S. (2020). Sustainable construction & building materials. Architecture & Design.*

[7] *Bedlivá, H., & Isaacs, N. (2014). Hempcrete – An environmentally friendly material? Advanced Materials Research, 1041, 83–86.*

[8] *Jami, T., Karade, S. R., & Singh, L. P. (2019). A review of the properties of hemp concrete for green building applications.*

[9] *Illampas, R., Ioannou, I., & Charmpis, D. C. (2009). Adobe: An environmentally friendly construction material. WIT Transactions on Ecology and the Environment, 120, 245–256. https://doi.org/10.2495/SDP090231*

[10] *Nusrat Jannat, R., Latif Al-Mufti, A., Hussien, A., Abdullah, B., & Cotgrave, A. (2021). Utilisation of nut shell wastes in brick, mortar and concrete: A review. Construction and Building Materials, 293, 123546. https://doi.org/10.1016/j.conbuildmat.2021.123546*

[11] *Petkova-Slipets, R., & Zlateva, P. (2017). Thermal insulating properties of straw-filled environmentally friendly building materials. Civil and Environmental Engineering, 13(1), 52-57.*

[12] *Shang, Y., & Tariku, F. (2021). Hempcrete building performance in mild and cold climates: Integrated analysis of carbon footprint, energy, and indoor thermal and moisture buffering. Building and Environment, 206, 108377.*

[13] *Bravo, M., De Brito, J., Pontes, J., & Evangelista, L. (2015). Durability performance of concrete with recycled aggregates from construction and demolition waste plants. Construction and Building Materials, 77, 357-369.*

[14] *Rybak-Niedziółka, K.; Starzyk, A.; Łacek, P.; Mazur, Ł.; Myszka, I.; Stefa ´nska, A.; Kurcjusz, M.; Nowysz, A.; Langie, K. Use of Waste Building Materials in Architecture and Urban Planning—A Review of Selected Examples. Sustainability 2023, 15, 5047.*

[15] *Ohemeng, E. A., Ekolu, S. O., Quainoo, H., & Kruger, D. (2022). Model for predicting compressive strength and elastic modulus of recycled concrete made with treated coarse aggregate: Empirical approach. Construction and Building Materials, 320, 126240.*

[16] *De Belie, N., Gruyaert, E., Al-Tabbaa, A., Antonaci, P., Baera, C., Bajare, D., ... & Jonkers, H. M. (2018). A review of self-healing concrete for damage management of structures. Advanced materials interfaces, 5(17), 1800074.*

[17] *Okolie O, Kumar A, Edwards C, Lawton LA, Oke A, McDonald S, Thakur VK, Njuguna J. Bio-Based Sustainable Polymers and Materials: From Processing to Biodegradation. Journal of Composites Science. 2023; 7(6):213.*

[18] *Meliță, L., & Croitoru, C. (2019). Aerogel, a high performance material for thermal insulation-A brief overview of the building applications. In E3S web of conferences (Vol. 111, p. 06069). EDP Sciences.*

[19] *Sakin, M., & Kiroglu, Y. C. (2017). 3D Printing of Buildings: Construction of the Sustainable Houses of the Future by BIM. Energy Procedia, 134, 702-711.*

[20] *Homchick Crowe, J. (2020). Architectural advocacy: The Bullitt Center and environmental design. Environmental Communication, 14(2), 236–254.*

DOI: 10.54254/2755-2721/126/2025.20030

[21] Bontje, M., & Burdack, J. (2005). Edge cities, European-style: Examples from Paris and the Randstad. Cities, 22(4), 317–330.

[22] Alimin, N. N., Pertiwi, E. G., & Purwaningrum, L. (2021, November). Establishing sustainable habits of students in Green School Bali through green interior design. In IOP Conference Series: Earth and Environmental Science (Vol. 905, No. 1, p. 012075). IOP Publishing.

[23] Abera, Y. A. (2024). Sustainable building materials: A comprehensive study on eco-friendly alternatives for construction. Composites and Advanced Materials, 33, 1-17.

[24] De Luca, P., Carbone, I., & Nagy, J. B. (2017). Green building materials: A review of state of the art studies of innovative materials. Journal of Green Building, 12(4), 141-161.