Proceedings of CONF-MSS 2025 Symposium: Machine Vision System
DOI: 10.54254/2755-2721/2025.CH24535

Innovative Technologies for In-vehicle Intelligent Recognition Systems

Pengbo Wang

Qingdao University of Science and Technology, Qingdao, China
18531676689@163.com

Abstract. The rapid advancement of intelligent technology has had a significant impact on car safety, driving experience, and intelligent traffic management. This article focuses on the innovative equipment and application scenarios of related systems and analyzes the core technology, scope of application, typical cases, and technical bottlenecks. Through literature review, technical analysis, and case exploration, the development status of the system has been comprehensively revealed, and problems such as poor accuracy, slow response, difficult hardware adaptation, and insufficient privacy protection have gradually become prominent. These problems are intertwined and together outline the basic outline of the development process of car intelligent recognition systems. This article explores improvement ideas such as multi-sensor fusion, intelligent algorithm optimization, hardware innovation design, and safety performance enhancement for existing problems. The intelligent recognition system in vehicles may move towards the deep integration of 5G and the Internet of Vehicles, new progress in artificial intelligence technology, and a shift in device design concepts. Relevant research shows that this field has considerable development space. Technological innovation and device iteration will continue to create more opportunities for the promotion of autonomous driving and intelligent transportation.

Keywords: Vehicle Identification Technology, Intelligent driving, Identification system

1. Introduction

Driven by the wave of intelligence, the in-vehicle intelligent recognition system has become a key component of intelligent vehicle technology. Relying on computer vision and sensor networks, vehicles can obtain and perceive the surrounding environment in real time, effectively improving the accuracy and stability of intelligent driving. Especially in the context of the rapid development of autonomous driving technology, accurately recognizing complex road conditions, pedestrian movements, and obstacle conditions is crucial for ensuring driving safety and adapting to complex environments [1]. Although some progress has been made in hardware upgrades and algorithm optimization, the stability of the system, anti-interference ability, as well as privacy and security protection still face challenges. With the continuous advancement of intelligent transportation and smart city construction, the demand for related technologies is increasing, and the research value of the in-vehicle recognition system has transitioned from theoretical exploration to practical application. Concerning a large number of aspects such as driving safety, traffic management

© 2025 The Authors. This is an open access article distributed under the terms of the Creative Commons Attribution License 4.0 (https://creativecommons.org/licenses/by/4.0/).

DOI: 10.54254/2755-2721/2025.CH24535

efficiency, and cross-industry integration, the deep connections within the intelligent transportation technology system are gradually emerging.

This study takes platforms such as Tesla and Baidu Apollo as examples. Through literature research and case analysis, it summarizes the current situation and development trends of the in-vehicle intelligent recognition system in terms of the technical framework, key issues, and improvement paths. It focuses on exploring directions such as hardware integration, algorithm improvement, and multi-sensor collaboration, providing theoretical support and practical reference for the optimization of intelligent driving technology and the integration of intelligent transportation systems.

2. Overview of the in-vehicle intelligent recognition system

2.1. Definition and development trends of the in-vehicle intelligent recognition system

The in-vehicle intelligent recognition system uses various sensors and algorithm models to collect and analyze dynamic and static information in the vehicle's surrounding environment. It utilizes radar, cameras, lidar, and ultrasonic devices. Combined with deep learning, computer vision, and pattern recognition technologies, it can recognize pedestrians, vehicles, traffic signs, and obstacles, providing important support for the development of autonomous driving and assisted driving technologies [2]. With the enhancement of hardware computing power and the update of algorithms, the adaptability of this system in complex road conditions, adverse weather, and low-light situations has significantly improved. Especially due to the improvement of lidar and high-definition cameras, the data processing ability has been enhanced, ensuring the completion of real-time driving tasks. The fusion of multi-modal data further improves the accuracy of perception, providing strong impetus for the improvement of the intelligent transportation system.

2.2. Key technologies of the in-vehicle intelligent recognition system

The in-vehicle intelligent recognition system involves key fields such as sensor technology, data processing and fusion, and classification algorithms. The characteristics of different sensors determine their advantages and disadvantages in specific environments. For example, lidar is suitable for high-precision detection and three-dimensional information acquisition, but its performance is poor in adverse weather [3]. Millimeter-wave radar has good adaptability, but its object recognition accuracy is slightly inferior; cameras can provide high-quality visual data and play a key role, especially in pedestrian and traffic sign recognition.

To improve the overall performance of the recognition system, it is necessary to effectively fuse the information of multiple sensors. Commonly used data fusion technologies include Kalman filtering, particle filtering, and deep learning fusion models, which are beneficial for optimizing accuracy and timeliness while ensuring processing speed. Computer vision and deep learning technologies, especially convolutional neural networks (CNNs), have shown excellent performance in image object detection and are widely applied to key scenarios such as pedestrian recognition, lane line identification, and traffic sign recognition.

2.3. Composition of the in-vehicle intelligent recognition system

The in-vehicle intelligent recognition system is composed of two major parts: hardware and software. The hardware part mainly includes sensors, computing platforms, and actuators, which are key components [4]. Lidar and millimeter-wave radar undertake target detection tasks, cameras

DOI: 10.54254/2755-2721/2025.CH24535

provide visual assistance, ultrasonic sensors and the global positioning system focus on short-range obstacle monitoring and vehicle positioning. The computing platform integrates the data of sensors and conducts efficient real-time processing.

At the software level, the system relies on deep learning, computer vision, and multi-sensor fusion technologies to complete data processing and decision-making assistance tasks. The vehicle can quickly detect the surrounding environment and make decisions, commanding the actuators to perform operations such as acceleration, deceleration, or turning, thus realizing the functions of autonomous driving or assisted driving.

3. Application status of the in-vehicle intelligent recognition system

3.1. Adaptive Cruise Control system

The Adaptive Cruise Control (ACC) system relies on various sensors such as millimeter-wave radar, lidar, and cameras to quickly obtain information about the external environment and vehicle movement and automatically adjust the vehicle speed [5]. This system can automatically accelerate, deceleration, or stop according to different traffic conditions, optimizing driving safety and comfort. The key of the ACC system lies in the effective cooperation among the environmental detection, target tracking, and distance prediction modules. With the development of technology, the system gradually incorporates functions such as lane keeping and automatic emergency braking, moving towards fully autonomous driving. Currently, relevant research mostly focuses on optimizing the stability in low-visibility weather, especially in rainy and foggy conditions.

3.2. Lane Keeping Assist System

The Lane Keeping Assist System (LKA) uses cameras and sensors to detect lane lines and automatically intervenes in steering when the vehicle deviates [6]. This system can effectively safeguard driving safety, especially in high-speed or traffic congestion situations. When operating in conjunction with the Adaptive Cruise Control (ACC) system, it can provide a more intelligent driving experience. Current technical issues include improving algorithms in complex road conditions and adverse weather, enhancing the ability to distinguish false alarms, and reducing system intervention signs to achieve a more stable driving experience.

3.3. Collision Warning System

The Collision Warning System (CWS) relies on lidar, millimeter-wave radar, and visual sensors to detect the dynamic situation in front in real time, determine potential risks, and issue warnings [7]. The system predicts the possibility of a collision through rapid calculations, assisting the driver in performing emergency operations. In cooperation with systems such as automatic emergency braking and lane departure warning, it further enhances driving safety. Research focuses on improving algorithms, reducing false alarms, and enhancing the stability of the system in complex road conditions, especially in heavy traffic and complex road conditions.

3.4. Autonomous driving system

The realization of autonomous driving technology relies on a highly coordinated perception, decision-making, and execution system. Sensors such as lidar, cameras, and millimeter-wave radar jointly provide data on the dynamic environment. Subsequently, the decision-making system outputs

DOI: 10.54254/2755-2721/2025.CH24535

route planning based on the sensor information, and the execution part performs driving operations according to the decision. In complex environments, there are high requirements for algorithms and computing power. Especially in adverse weather or peak traffic periods, the perception system is easily interfered with, and accurate judgment and decision-making become difficult [8].

The in-vehicle intelligent recognition system is the core part of autonomous driving technology, including functions such as environmental perception, target detection, and road condition determination. By integrating the data of visual sensors, radar, and lidar, the system achieves accurate target recognition and scene analysis [9]. With the increase in the data flow of multi-sensors, the demand for computing resources is increasing rapidly. Especially in complex weather and changing lighting conditions, the stability and adaptability of the system still need to be improved. The integration of deep learning and intelligent algorithms in the future will promote the in-depth development of environmental perception for autonomous driving.

3.5. Application examples of the in-vehicle intelligent recognition system

Smart vehicle manufacturers represented by Tesla have widely applied and accumulated technology in the in-vehicle intelligent recognition system. Tesla's autonomous driving system relies on the joint operation of cameras, radar, and ultrasonic sensors. These sensors quickly collect data on the surrounding environment, analyze it using deep learning algorithms, and identify important information such as lane lines, pedestrians, and obstacles, thus achieving the function of autonomous driving [10]. After many upgrades and improvements, the Autopilot system's perception accuracy and decision-making response speed have gradually improved, and it can make effective decisions during high-speed driving and complex traffic conditions. Tesla particularly focuses on the impact of complex weather conditions, such as rain and fog, on sensors and algorithms while strengthening system stability. By improving algorithms, Tesla has enhanced the system's perception ability in low-visibility environments, thus improving the reliability and safety level of the autonomous driving system under various driving conditions. This system can automatically adjust the vehicle speed and avoid obstacles to ensure the safe driving of the vehicle in a changing traffic environment.

Another typical example is the Baidu Apollo platform. This platform integrates numerous sensors such as lidar, millimeter-wave radar, and high-definition cameras, which can accurately obtain road information. The perception system of this platform uses the combination of multi-sensor data to improve the recognition ability of complex urban traffic and dynamic environments, especially in complex urban roads and traffic signal interpretation. The decision-making component of the Apollo platform, relying on the further optimization of deep learning technology, can quickly formulate routes and avoid obstacles in complex road conditions to ensure that the vehicle can respond quickly and drive safely. With the help of high-precision maps and real-time positioning, the Apollo platform has achieved accurate positioning and navigation in various scenarios such as cities and highways. Apollo also strives to overcome environmental challenges such as low visibility and adverse weather. By strengthening sensor functions and algorithms, the system can operate stably at night and in rainy and snowy weather.

Currently, the Apollo platform has carried out large-scale road tests in many cities, gradually promoting the commercialization of autonomous driving technology, especially showing strong market potential in scenarios such as automatic parking and low-speed driving. The application of the platform provides an important application basis for the promotion and improvement of autonomous driving technology.

DOI: 10.54254/2755-2721/2025.CH24535

4. Problems of the in-vehicle intelligent recognition system

Although the in-vehicle intelligent recognition system plays a core role in autonomous driving technology, it still faces many challenges during its development, mainly including technical limitations, hardware bottlenecks, security risks, and imperfect laws and regulations.

Firstly, the in-vehicle intelligent recognition system encounters many technical difficulties, especially in the perception ability and accuracy of sensors. In complex environments, situations such as low illumination and rainy and snowy weather will affect the performance of sensors [11]. This makes target recognition more difficult. Although deep learning technology has made some progress in image processing, its requirements for real-time feedback and computing power increase the burden on the computing platform. There are still problems in the fusion of heterogeneous data and the coordination of multi-sensor information, which is not conducive to achieving a balance between accuracy and sensitivity of the system.

In terms of hardware, the in-vehicle intelligent recognition system faces the trade-off between energy consumption and performance between sensors and the computing platform. Sensors such as lidar have high accuracy, but their high cost and the tendency to malfunction in wet and cold environments limit their promotion. The computing platform requires a large amount of electrical energy support, but during long-term operation, the battery's continuous pressure has become an important obstacle to the system. More problems involve the improvement of equipment size and weight, as well as the effective combination of hardware and software, which are all stumbling blocks to the development of the intelligent recognition system.

The in-vehicle intelligent recognition system faces the risks of privacy leakage and security issues when collecting and transmitting massive amounts of data [12]. The system must strictly comply with privacy protection laws. Otherwise, data leakage or network attacks will lead to serious consequences. Technologies such as data encryption, identity verification, and firewalls are the core of ensuring system security. With the widespread adoption of 5G and Internet of Vehicles technologies, the amount of information exchange is rapidly increasing, and the demand for data protection has also increased accordingly. Establishing a multi-layer defense system has become an urgent task.

Finally, there are significant gaps in regulations and standardization. Currently, globally, the legal framework for autonomous driving and intelligent identification systems has not been fully established. There is a lack of consistent standards in aspects such as technical operations, data processing, and responsibility division. There are differences in the regulatory directions of various countries, causing the industry to face compliance risks. The lack of technical standards restricts the effective cooperation of systems from different manufacturers, limiting the popularization of intelligent driving technology. Establishing unified technical standards and a legal framework will provide the necessary support for the improvement and globalization of the intelligent identification system.

5. Optimization strategies for the in-vehicle intelligent recognition system

5.1. Multi-modal sensor fusion and intelligent hardware design

The key to improving the in-vehicle intelligent recognition system lies in the fusion of multi-modal sensors and the design of intelligent hardware. The environmental adaptability of a single sensor is limited. Hardware such as radar, cameras, and lidar should be integrated [13]. Through data fusion processing, the accuracy and flexibility of the system can be improved. The coordinated cooperation

DOI: 10.54254/2755-2721/2025.CH24535

of different technologies enhances the capabilities of the perception module. In complex environments, the system can more accurately reconstruct dynamic scenes, providing reliable support for decision-making. With the optimization of in-vehicle computing power, the design of intelligent hardware must balance integration and computing efficiency to optimize the system's response speed and stability.

5.2. Innovative design of low-power and high-performance hardware platforms

The performance of the in-vehicle intelligent recognition system is closely related to the hardware platform, especially the coordination between computing power and energy consumption. Current computing platforms can provide strong computing power, but energy consumption restricts the long-term stable operation of the system. Therefore, the development of low-energy hardware is crucial. The use of new materials and heterogeneous designs, such as FPGA or ASIC chips, can enhance computing efficiency and reduce energy consumption, thereby improving the power management of the system. Through continuous debugging to solve problems such as heat dissipation, integration, and battery life, it will provide more reliable hardware support for the application of intelligent driving technology [14].

5.3. Design of highly integrated and modular device architecture

Hardware composition and modular design are key points to enhance the effectiveness of the in-vehicle intelligent recognition system. Forming design can effectively reduce the volume, enhance stability, and significantly reduce manufacturing costs [15]. In the past, the separation of sensors and computing modules made the system bulky and less effective. After implementing modular design, the perception and computing units are deeply integrated, accelerating the production speed. The device can also be customized according to specific vehicle models or requirements to meet different functional needs. As a result, the flexibility and effectiveness of the in-vehicle system are significantly enhanced.

5.4. Design of advanced artificial intelligence environmental adaptability and autonomous learning ability

The key improvement of the in-vehicle intelligent recognition system lies in improving its environmental adaptability and self-learning ability. Currently, many systems operate based on set rules and have a slow response speed when dealing with complex situations [16]. If transfer learning or reinforcement learning is used, the system can make adaptive adjustments in different road conditions. Such updates can not only improve the system's ability to cope with dynamic traffic conditions but also promote the development of autonomous driving technology. By relying on external data sources, the system can improve its adaptability through continuous learning, thereby breaking through performance limitations and enhancing overall stability.

6. Conclusion

The in-vehicle intelligent recognition system is an important part of intelligent driving technology. With the help of sensor networks, computer vision, and deep learning algorithms, it can quickly detect complex road conditions and provide decision-making support. This study has thoroughly examined the technical framework, application scenarios, and development obstacles of this system through data review, technical analysis, and case studies. Its core technologies include multi-modal

DOI: 10.54254/2755-2721/2025.CH24535

sensor fusion, convolutional neural networks, and high-performance computing platforms, which are widely applied in scenarios such as adaptive cruise control, lane keeping assistance, collision warning, and autonomous driving. Platforms such as Tesla and Baidu Apollo show certain characteristics during practical application. In complex road driving environments such as highways or urban areas, they can achieve relatively accurate recognition and sensing, and the efficiency of decision-making is also good. However, from a technical perspective, there are many difficulties. For example, the performance of sensors will decline in low-light conditions, and it is difficult to quickly integrate different types of data. Due to the large amount of computation, a lot of energy is consumed. These situations limit the stability and reliability of the system in adverse weather and highly variable traffic scenarios, and urgent solutions are needed through technological innovation.

In the field of hardware algorithms, optimization strategies focus on multi-sensor collaboration, modular device design, research and development of low-power computing platforms, development of data fusion technologies, and combination of Kalman filtering and deep learning models to improve the system's adaptability to complex environments. Modular design integrates sensors and computing units to reduce production costs and increase device flexibility. Artificial intelligence algorithms have self-learning characteristics, promoting the system to deal with unforeseen situations and advancing the development of autonomous driving technology to a higher level. Privacy protection and data security cannot be ignored. With the gradual popularization of 5G and the Internet of Vehicles, the information exchange is becoming increasingly complex, and a multi-layer defense system needs to be established to deal with potential risks. The slow formulation of relevant laws, regulations, and standards indicates the importance of industry cooperation. Unified standards will ensure the global application of technology. This study provides theoretical support and practical reference for the continuous improvement of the intelligent recognition system and brings new ideas for the coordinated development of intelligent transportation and smart cities.

References

[1] Wang X.Q., Wang Z., Liu D., Guo S.M. Research on image stabilization technology in locomotive onboard visual recognition system. Railway Locomotive & Rolling Stock, 2008(03): 41–43.
[2] Wang D.F., Cao X.L., Yu J.L. Design and test of vehicle-mounted speech recognition system. Transactions of the Chinese Society for Agricultural Machinery, 2010, 41(01): 41–45.
[3] Lu Y.J., Li T.S., Huang Y.H. Design of a vehicle-mounted gesture recognition assistant system based on Kinect. Television Technology, 2017, 41(02): 50–53, 64.
[4] Keraf Nui Din, Ehkan Phaklen, Kelian Virakwan Hai, Noor Norulhuda Mohd, Darus Hafifah, Loke Eunice. Automatic vehicle identification system using number plate recognition in POLIMAS. IOP Conference Series: Materials Science and Engineering, 2020, 767012056-012056.
[5] Rathore M. Mazhar, Paul Anand, Rho Seungmin, Khan Murad, Vimal S., Shah Syed Attique. Smart traffic control: Identifying driving-violations using fog devices with vehicular cameras in smart cities. Sustainable Cities and Society, 2021, 71.
[6] Zhao B. Research on pedestrian crossing intention recognition model for vehicle pedestrian warning system. Master’s thesis, Chang'an University, 2021.
[7] Yan B.J. Design of real-time intelligent recognition system for vehicle video information based on MPSoC. Master’s thesis, East China Normal University, 2021.
[8] Su M., Ai H.M., Wang D.M. Development of AI-based vehicle-mounted intelligent voice recognition alarm system. Sensors and Microsystems, 2021, 40(06): 63–65, 69.
[9] Li J.H. Research on tensor decomposition predictive control strategy of intelligent vehicle-mounted stabilization platform. Master’s thesis, Jilin University, 2021.
[10] Legkiy Nikolay, Zhukov Alexandr, Kartsan Igor. Simulation of States of Radio Frequency Sensors of Automatic Vehicle Identification System. Transportation Research Procedia, 2022, 61388-391.
[11] Bao M.Y. Design and implementation of vehicle-mounted identity authentication system based on face recognition. Master’s thesis, Southeast University, 2022.

DOI: 10.54254/2755-2721/2025.CH24535

[12] Tang C. Research on highway obstacle recognition of intelligent vehicles based on 3D point cloud. Master's thesis, Tianjin University of Science and Technology, 2022.
[13] Zhu Y.Z., Li S.Y., Zhuo S.M., Yang L. Design of short-range vehicle lens optical system for target recognition. Laser & Optoelectronics Progress, 2022, 59(17): 336–342.
[14] Feng C.C. Research on pedestrian behavior recognition and collision warning system based on vehicle vision. Master's thesis, Chang'an University, 2023.
[15] Liu X. Research on the influence of interaction modes of vehicle information system on eye movement patterns and distraction recognition. Master's thesis, Shenzhen University, 2023.
[16] Cui T.R., Li Y.J., Liu C., Huo M.M. Vehicle-mounted rail corrugation automatic recognition and warning system based on image processing technology. Urban Rail Transit Research, 2024, 27(01): 66-72.