Proceedings of CONF-MSS 2026 Symposium: Advanced Composite Materials and Polymer Chemistry
DOI: 10.54254/2755-2721/2026.AD33868

Application of Nanoparticles for Water Purification

Yutong Liu

New York University, New York, USA
sisi050316@163.com

Abstract. Many people around the world don't have clean drinking water. Cleaning water can help reduce pollution but not all contaminants. Recently nanotechnology has shown to be an efficient way of cleaning water. This essay explains that nanoparticles small materials can remove harmful drugs from water. Different nanoparticles (silver, titanium dioxide, carbon nanotubes) can work via adsorption, photocatalysis, germ-killing action, and chemical reactions. Nanotechnology can clean water and clean different types of pollution. Nanotech also could help small/remote areas where large scale treatment networks are not available. However, there are still high costs, safety risks and stricter rules and tests needed. Future ideas can help make nanotechnology safer, cheaper and easier to use. With careful application, nanotechnology could help more people obtain safe drinking water for themselves.

Keywords: Nanotechnology, purification, safety, water access

1. Introduction

Water contamination is a global and water is of utmost importance for public health and sustainability. In 2022, according to World Health Organization (WHO), at least 1.7 billion people in the world drink water polluted with fecal matter [1]. This microbial contamination poses the greatest threat to the water safety and causes widespread waterborne diseases such as diarrhea, cholera, and typhoid which cause 505,000 deaths each year [2]. In addition to microbial contaminants, water sources can also contain toxic chemicals (e.g., heavy metals and pesticides) and other toxic contaminants. Traditional water treatment approaches such as coagulation, filtration, and chemical treatment have already improved access to safe water. However, in many regions' traditional approaches, however, are still insufficient to remove all contaminants, with many emerging pollutants, e.g. pharmaceutical residue, or chlorine resistant microbes. In addition, standard treatment techniques often have disadvantages: For example, chlorination produces toxic disinfection chemicals in water [3]. New approaches must be developed such that all are in good, safe water availability. Nanotechnology has been a promising development in water treatment in the last several decades. Nanomaterials are methods of manipulation of materials on a scale of nanometer, typically a billionth of a meter, and they usually come with unique properties. In water treatment, nanoparticles and nanomaterials provide new ways to remove contaminants with much less difficulty compared to the conventional methods. As nanoparticles are small and large surfaces, they may interact with contaminants in a very specific way, as for example, adsorbing the toxins

© 2026 The Authors. This is an open access article distributed under the terms of the Creative Commons Attribution License 4.0 (https://creativecommons.org/licenses/by/4.0/).

DOI: 10.54254/2755-2721/2026.AD33868

onto their surfaces, or catalyzing reactions breaking down contaminants. The purpose of this essay is crucialto review the role of nanotechnology in water purification, the types of nanoparticles being used, how they remove pollutants, how these pollutants are removed and how they lead to greater benefits than traditional methods, and how their use poses challenges and risks. We will also discuss the future work in this area, and where current challenges can be addressed to harness nanotechnology for safe drinking water.

2. Nanoparticles in water treatment

Water access to safe water has been using traditional methods such as filtration, deposition, and chlorination which removes the physical and biological contaminants, but are less effective to dissolved chemicals, pharmaceutical residues, and pathogens. In many developing countries, the limited infrastructure makes regular disinfection difficult and chemical disinfectants can produce undesirable products. Such limitations have motivated a growing interest in nanotechnology, which is more flexible, efficient and scalable [3].

2.1. Overview and basic principles

A nanoparticle in nanotechnology is often much smaller than 100 nm with large surface areas and high chemical reactions. When applied to water, nanoparticles bind, degrade or neutralize pollutants, and they are often tightly bound to contaminants and engineered surfaces targeting certain types of pollutants (metals, microbes, organic molecules) in practice. These particles are usually fixed by membranes or filters to prevent them from entering the water. Researchers and engineers have found four main ways in which nanomaterials make purification possible: adsorbing pollutants, catalyzing chemical breakdown of pollutants, releasing antimicrobial ions and suppressing or converting toxic compounds. All the following processes lead to cleaner water with less chemical input and lower energy requirement [4].

2.2. Metal-based nanoparticles

Among the most extensively studied nanomaterials are metals such as silver and iron. Silver nanoparticles are commonly used as point-of-use filters due to their strong antimicrobial nature. Silver ions released from the particles break cell membranes and damage microbial enzymes preventing bacteria and algae from forming in the filter medium. Many ceramic and carbon block filters on the market use thin nanosilver (nano-silica) to maintain hygiene and a longer lifetime of the filter. Studies in Southeast Asia and Africa show that these filters can reduce bacterial contamination in stored household water with low cost [5]. Another well-studied material is nanoscale zero-valent iron (nZVI). These iron particles may transform pollutants via reduction reactions, e.g. nZVI converts highly toxic chromium (VI) into the less toxic chromium(III) and binds arsenic or lead onto its oxide surface. Because of this, it was successfully tested in water pollution remediation of polluted groundwater and industrial wastewater. Injecting or embedding nZV into treatment is much easier than other adsorbents. Iron nanoparticles oxidize quickly and clump together and so, researchers often stabilize them on supports or mix them with other materials. Silver target microbes. However, nZVI also serves heavy metals and organic pollutants and show that metallic nanomant may play complementary roles [6].

DOI: 10.54254/2755-2721/2026.AD33868

2.3. Metal oxide nanoparticles

Metal oxides such as titanium dioxide (TiO_2), zinc oxide (ZnO) or magnetite (Fe_3O_4) are used in an efficient purification. TiO_2 is a well-known photocatalyst -- it can break down organic chemicals within ultraviolet light. For coatings or films, TiO_2 excites pesticides, dyes, and pharmaceutical residues out of water as well as killing microorganisms with oxidative reaction. It is stable and reusable and is ideal for small solar-based treatments and self-cleaning membranes [7]. Zinc and copper oxide nanoparticles are also similar antimicrobial even in low light conditions. They are typically added to filters or in portable purification devices to avoid bio-film formation (which helps keep water flow stable) and do not require maintenance. Magnetite nanoparticles, on the other hand, are powerful adsorbents of metal ions, and can easily be recovered by magnets after treatment. These two oxides can be used to remove arsenic or cadmium from polluted water and to treat industrial effluents [9]. They both provide a combination of stability, catalytic activity and easy separation, making them a more durable alternative to pure metal nanoparticles [8].

2.4. Carbon-based nanomaterials

Carbon nanomaterials such as carbon nanotubes (CNT) and graphene oxide (GO) have special adsorption properties due to large surface areas and high tunable chemistry.CNTs can capture organic molecules and metal ions, while GO membranes can filter very fine particles and pathogens through nanosized pores.It has been shown in laboratory studies that CNTs remove lead, arsenic, and dyes dramatically more efficiently than activated carbon. They can also damage microbial cells physically or create oxidative stress and thus impart mild disinfection effects. In recent years, composite filters of graphene or CNT layers with polymer membranes have appeared in experimental household and industrial systems. While their costs and environmental concerns remain concerns, future work is looking to make COFs safer and more affordable for large scale applications [9].

2.5. Other nanoscale materials

Other specific nanoscale materials are also of interest. Nano-sized zeolites act as ion exchangers, where harmless ions such as sodium replace toxic ones like lead or cadmium. They can be used in pilot projects of mining wastewater. Dendrimers, or molecules of molecules of trees, may be designed to trap certain pollutants or deliver treatment chemicals in a controlled way. Metal–organic frameworks (MOFs) are a promising class, because of their large pore size and great surface area and their ability to efficiently adsorption dyes and radioactive ions. Their use is currently restricted to the laboratory due to cost and stability, but even so, they show the broad range of nano-based solutions to complex contamination [10].

2.6. Mechanisms and practical applications

Many types of nanoparticles work in simpler ways that are sometimes not in common in real systems. Most often the pollutants adhere on the surface of nanoparticle until they have been removed or reused. Such a process is useful for dissolved metals and organic molecules. Photocatalysis, based on TiO_2, employs light to generate reactive oxygen species breaking chemical bonds of pollutants and converting them into harmless compounds such as carbon dioxide and water. This is being applied to solar photocatalytic reactors with abundant sunlight. silver, zinc oxide and

DOI: 10.54254/2755-2721/2026.AD33868

copper nanoparticles targets pathogens without introducing harmful disinfection products, often incorporated into filters or surface coatings. Catalytic reduction, based upon iron nanoparticles, alters the oxidation state of toxic metals or organic chemicals that are able to rapidly produce or even freeze in removal. Many systems combine the effects, such as a membrane composed of TiO_2 and silver can both eliminate organic contaminants under light and disinfect water. The magnetite or iron composites can also adsorb metals and catalyze redox reactions. Experiments show that these multimodal materials can reduce treatment time, reduce chemical consumption and improve the overall purification efficiency. In one study, a TiO-based photocatalyst can remove organic pollutants from textile wastewater by more than 80 %, compared with standard filtration [8]. These shows that nanotechnology can complement or complement some conventional treatment steps.

2.7. Outlook and significance

While many nano-based treatments still exist, with their advantages: high efficiency, multi-functionality and flexible applications within industry and household, and continued studies focus on controlling cost, preventing nanoparticles from getting into the environment, and developing standards for safe use. More regulation and design can help to address global water scarcity by improving drinking water quality and promoting reuse of wastewater, offering a new bridge between science and public health, turning the smallest materials into some of the most powerful tools of clean water [11].

3. Advantages and disadvantages of nanotechnology in water treatment

Nanotechnology can give new properties (very high surface area, tunable surface chemistry, reactivity at nanoscale) that can transform water purification. These properties provide advantages in water treatment but also have disadvantages and difficulties.

3.1. Advantages

Another advantage of this is the multi-functionality. Nanoparticles can be designed to clean up multiple pollutants, thus simplifying the process. A single nanomaterial can be replaced with several steps. For example, a magnetic nanocomposite with Fe_3O_4 core and a polymer coating can bind heavy metal ions and kill bacteria and easily get removed from water by magnet. Similarly, nanoparticles can bind particles physically and embedded nanoparticles trap organic pollution or filter out microbial growth, in single step, providing in general one system for "all-in-one" purification. Researchers have demonstrated the presence of multidisciplinary nano adsorbents (M-QAC), disinfect pathogens and adsorb toxins with a quick time and they can be easily removed magnetically [12]. This kind of versatility is a major advantage over single-purpose materials.

The efficiency and capacity of nanoparticles. Due to their large surface area-to-volume ratio, nanoparticles interact with pollutants far faster than bulk materials and have higher contaminant removal kinetics and can hold or break pollutants/units respectively. Nano-scale adsorbents and catalysts can capture or break contaminants much faster than standard media. For example, metal/metal-oxide nanoparticles (e.g., nano-Fe, TiO_2 or Ag) exhibit fast adsorption rates of heavy metals and organic pollutants [13]. More pollutant molecules interact with a nanoparticle surface at any time than a larger nanoparticle with an equal mass of larger particles.

In some cases, nanoparticles can even remove more chemicals (nZVI for instance can be done without chemicals) entirely. In general, smaller nanomaterial may be cleaner than a larger amount of

DOI: 10.54254/2755-2721/2026.AD33868

traditional materials, and may save sludge production and treatment time, or become smaller and more compact or faster in plants.Nanotechnology can be used in flexible ways to improve existing water treatment techniques or portable applications. Nanoparticles and nanomaterials can be added in modern systems – for example, inserting a small amount of silver nanoparticles into an activated carbon filter provides strong antibacterial properties, thus this filter not only adsorbs chemicals, but also disinfects the water flowing by [14]. Nanomaterial has been added to membranes for performance. Nano-engineered membranes may be permeable and better resistant to fouling, and thus water can be filtered with lower pressure or less frequent cleaning [15]. The surface chemistry of nanoparticles can be adapted for selected removal of specific contaminants: for instance, molecular-encapsulated nano polymers target particular pesticides or toxins with high selectivity. Many nanotechnology-based processes may be adaptable to other conditions and energy sources. Nanophotocatalysts, for instance. They are adapted to deliver sunlight-based water purification. The nanomaterials are also suitable for decentralized or point-of-use applications. One can have one, portable unit to deal with biological and chemical contaminants – which can be particularly useful in rural regions or emergencies where an extensive infrastructure and multiple treatment stages are not available. In short, nanotechnology can bring advanced water treatment to inaccessible places and situations by introducing high performance in simple, flexible systems.The children in West Bengal, India, with a hand-pump attached to a "Amrit" water purification system using nanotechnology to remove arsenic and other contaminants. In real world, this nano-enabled filter (IIT Madras) has shown the possibility to provide safe drinking water to poor communities [16]. Thousands of such plants are deployed in affected villages and are able to process groundwater arsenic by pumping the water. This experience suggests that practical issues (stable maintenance and low scaling) are important in order to ensure long-term sustainability of nanotech solutions.

3.2. Disadvantages

Another concern with applying nanomaterials to water is whether they are actually toxic in the water or environment. The very properties of nanoparticles which make them effective (small size and high reactivity) may pose health or ecological concerns. There is still very little research on how different nanoparticles interact with the human body or wildlife, when absorbed or inhaled (in the long run [15]. Some studies indicate that if nanoparticles are out or released, they may accumulate or spread through the food chain (bioaccumulation) causing toxicities to aquatic life and other sources of pollution. Ensuring nanoparticles remain in treated water and evaluating their fate in waste streams. Future studies may be required on the evolution of such material – how they may break or persist in the environment to ensure that the problem with one pollution does not lead to the other.While nanotechnology offers great performance, it has the cost factor. Many engineered nanomaterials are difficult to produce in large quantities and require special equipment and precursors. It is challenging to scale up production from lab scale to the tonnage needed for city water supply [17]. Therefore, certain nanoparticle treatments are more expensive to perform (e.g., in bulk activated carbon or simple chemical disinfectants). For developing countries, or large-scale utilities on a budget, the costs can be prohibitive. Additionally, it is challenging for nanominerals to maintain the same quality and performance at mass-production.Recovery and reuse of nanoparticles. If nanoparticles are injected into water, how can they be recovered or reused? If not collected, those nanoparticles may become pollutants themselves. While most of the nanoparticles in sand or carbon are kept in a filter, some are placed as suspensions or in media that might be worn out. Impersistent nanoparticles can be discarded from washed water or slurry – they are too small for a normal filter. Several solutions have been suggested such as magnetic nanoparticles (e.g. iron oxide) that can be

DOI: 10.54254/2755-2721/2026.AD33868

retrieved from a magnetic field or immobilizing nanoparticles on larger substrate to deal and manipulate. (C.C [18].) However, general, suitable methods for recovering and recycling nanoparticles cannot be used. Newly used nanoparticles could get accumulated as waste but have to be washed away. The inability to easily recover or reuse certain types of nanoparticle is associated with this drawback. Developing efficient ways to collect and reuse nanoparticles, or to reuse nanomaterials by biodegradable nanoparticles is an ongoing subject of research because of this drawback.

4. Conclusion

Nanotechnology will help make water more accessible by effectively filtering contaminants via adsorption, photocatalysis, and antimicrobial reaction. Silver nanoparticles, titanium dioxide, and carbon nanotubes successfully react with organic molecules, pathogens, and heavy metals, and offer advantages over the traditional methods. However, challenges remain. Environmental toxicity and cost of production are important factors, and we are working with existing research to develop safer, low-cost, and eco-friendly nanomaterials, and better regulations. If these challenges are addressed by collaborative innovation and oversight, nanotechnology can be a viable and sustainable technology to ensure access to clean water worldwide.

References

[1] World Health Organization, "Drinking-water." WHO Fact Sheet, 2022. (Global statistics on drinking water contamination)
[2] World Health Organization, "Drinking-water." WHO Fact Sheet, 2019. (Burden of disease from unsafe water)
[3] S.D. Richardson, "Disinfection by-products and other emerging contaminants in drinking water, " TrAC Trends in Analytical Chemistry, vol. 22, no. 10, pp. 666–672, 2003.
[4] J. Oyanedel-Craver and J.A. Smith, "Sustainable colloidal-silver impregnated ceramic filter for point-of-use water treatment, " Environmental Science & Technology, vol. 42, no. 3, pp. 927–933, 2008.
[5] X. Qu, P.J.J. Alvarez, and Q. Li, "Applications of nanotechnology in water and wastewater treatment, " Water Research, vol. 47, no. 12, pp. 3931–3946, 2013.
[6] S. Upadhyayula, B.M. Deng, M.C. Mitchell, and G.B. Smith, "Application of carbon nanotubes for removal of contaminants in drinking water: A review, " Journal of Environmental Management, vol. 92, no. 3, pp. 1649–1666, 2011.
[7] B.R. Kanel, J.M. Grenèche, and H. Choi, "Arsenic(V) removal from groundwater using nano scale zero-valent iron: Transport and modeling, " Journal of Nanoparticle Research, vol. 8, no. 5, pp. 101–112, 2006. (Demonstrates nZVI removing arsenic)
[8] I. Gehrke, A. Geiser, and A. Somborn-Schulz, "Innovations in nanotechnology for water treatment, " Nanotechnology, Science and Applications, vol. 8, pp. 1–17, 2015. (Discussion of multifunctional nanomaterials)
[9] F. Gottschalk, T. Sonderer, R.W. Scholz, and B. Nowack, "Modeled environmental concentrations of engineered nanomaterials (TiO_2, ZnO, Ag, CNT) for different regions, " Environmental Science & Technology, vol. 43, no. 24, pp. 9216–9222, 2009.
[10] World Health Organization, "Guidelines for Drinking-water Quality, 4th Edition, " WHO, Geneva, 2011. (Guideline value for silver in drinking water)
[11] S. Das, M. Sen, and A. Dutta, "Nanomaterials for water remediation: issues and challenges, " Environmental Development, vol. 16, pp. 63–71, 2015.
[12] Zhang et al., Environmental Science & Technology (2016) – Multifunctional magnetic nanoparticle for simultaneous disinfection and heavy-metal removal
[13] Ajith & Rajamani, J. Nanotechnol. Nanomaterials (2021) – High reactivity and adsorption capacity of nano-scale materials in water treatment
[14] Bowley (RSC Nano Blog, 2014) – Silver nanoparticle-embedded point-of-use filters for antimicrobial water purification

DOI: 10.54254/2755-2721/2026.AD33868

[15] Singh et al., Int. J. Energy Water Res. (2025) – Review of nanotech in water sector; improved membrane fouling resistance and energy efficiency; concerns about nanoparticle release and toxicity; need for cost reduction and safer-by-design nanomaterials.
[16] Dialogue Earth report (2016) – Field implementation of IIT Madras "Amrit" nano-filter in India for arsenic removal
[17] Sustainability Directory (2025) – "Challenges of Nanotechnology in Water Treatment" (Q&A) – discusses scale-up, cost, environmental/health uncertainties, and regulatory gaps.
[18] Scientific Archives Commentary (2021) – Notes on nanoparticle stability issues (aggregation) and lack of recycling methods in water treatment applications.